References:

1. Bhatt B. (2011), Chemical constituents of Solanumxanthocarpum.J. Chem. Pharm. Res., , 3(3):176- 181.

2. Bhattacharya TK, Ghosh MN, Subramanian SS;(1980) A note on anti inflammatory activity of carpesterol. Fitoterapia, 51: 265-268.

3. Chandana VR, Gupta RK, TalibHussain; (2011)Hepatoprotective effects of Solanumxanthocarpum fruit extract against CCl4 induced acute liver toxicity in experimental animals. Asian PacificJournal of Tropical Biomedicine. 14(3): 964-968.

4. Chaturvedi PK, B hui K, Shukla T; Lupeol(2008) Connotations for chemoprevention. Cancer Lett; 263:1-13.

5. Daly J.W.,. Myers C.W and Whittaker N. (1987).Further classification of skin alkaloids from neotropical poison frogs (Dendrobatidae), with a general survey of toxic/noxious substances in the amphibiaToxicon. 25, 102.

6. Dixit VP and Gupta RS ,(1982),Antispematogenic /antiandrogenic properties of Solasodine obtained from Solanumxanthocarpum berries the male genetical tract of dog (carisfamiliaris).A histophysiologicalapproach,IntJ.Androl ,5;295-307.

7. Dixit VP and Gupta RS , (1986)Antispematogenic /antiandrogenic properties of Solasodine obtained from Solanumxanthocarpum berries on the male rats and dogs,J steroids Biochem,25 ;275.

8. Dixit VP, Gupta RS; Antisperatogenic/antiandrogenic properties of solasodine (C27H43O2N) obtained from Solanumxanthocarpum berries on the male rats and dogs. J Steroid Biochem., 1986; 25: 27s.

9. Dubey P and.Gupta P.C, (1978),A New Flavonol Glycoside from the flowers of Solanumxanthocarpum, phytochemistry.17, 2138,

10. Duraipandiyan, V.; Ayyanar, M.; Ignacimuthu, S. (2006,)Antimicrobial activity of some ethnomedicinal plants used by paliyar tribe from Tamil Nadu, India. BMC Complementary Altern. Med. 6(35), 1-7.

11. Erdogrul OT. (2002) Antibacterial activities of some plant extracts used in folk medicine. Pharm.Biol. 40, , 269-273.

12. Gabay O, Sanchez C, Salvat C, Chevy F, Breton M, Nourissat G ,(2010)Aphytosterol with potential anti-osteoarthitic properties. Osteoarthritis Cartilage,; 18:106-116.

13. Govindan S, Viswanathan S, Vijayasekaran V, Alagappa R(1999), A pilot study on the clinical efficacy of Solanumxanthocarpum and Solanumtrilobatum in bronchial asthma Journal of Ethnopharmacology:; 6(2):205-210.

14. Gunaselvi.G,;Kulasekaren.V ,; Gopal V, (2010.); Anthelmintic Activity of the Extracts of SolanumxanthocarpumSchrad and Wendl fruits International J. Pharm Tech Research Vol.2, No.3, 1772-1774.

15. Gupta M P, Dutt S, Chemical Examination of Seeds of SolanumxanthocarpumSchrad and Wendel Part-2 J.Indian.Chem.Soc, 1938; 15: 95-100.

16. Gupta S, Mal M, Bhattacharya P; Evaluation of hypoglycemia potential of Solanumxanthocarpum (Solanaceae) fruits in normal and streptozotocininduced diabetic rats.Eur Bull Drug Res., 2005; 13:51–55.

17. Gupta SS, Gupta NK. Effect of Solanumxanthocarpum and lerodendronserratum on histamine release from tissues. Indian Journal of Medicinal Sciences 1967: 795–799.

18. Heble MR, Narayanaswami S, Chadha 14s. 1971. Hormonal control of steroid synthesis in Solanumxanthocarpum tissue cultures. Phytochemistry. 10: 2393-2394.

19. Heble MR, Narayanaswami S, ChadhaM ;. (1968). Solasonine in tissue cultures of Solanumxanthocarpum. Natumfissenschaften. 55: 350-351.

20. IqbalHussain.;Farhat Ali Khan .;Inayat Ur Rehman.;Hamayun Khan.;Majed Ahmad.;IzharUlHaq Ali Shah ;GulAkhtherMarwat ; (2011)Analysis of inorganic profile of medicinal plant Xanthium srtumarium and Solanumxanthocarpum World Applied Sci.J.13(1):133-136,

21. J.F.Verbist; R.Monnet,Steriod(1974), Alkaloids in SolanumXanthocarpum Part-2: Cultivated in thenantes region France, ibid.8, 269-280 .

22. Kang SY ; Sung SH; Park JH and Kim YC(1998) , Hepatoprotective activity of scopoletin, a constituent of Solanumlyratum ; Arch Pharm Res, , 21, 718-722.

23. Kar D.M., L Maharana, S Pattnaik & GK Dash (2006). Studies on hypoglycemic activity of Solanum xanthocarpum fruit extract in rats. Journal of Ethnopharmacology, 108(2), 251-256.

24. Khanna P, Uddin A, Sharma GL, Mmo t SK, Rathore AK. (1976). Isolation and characterization of sapogenn and solasodine from in vitro tissue cultures of someSolanaceous plant ;. Indian J Exp Biol. 14(6): 694-696.

25. Kuok W, Hsu SH, Li YP, Lin WL, Liu LF, Chang LC et al.; Anticancer activity evaluation of the solanumglycoalkaloidsolamargine: Triggering apoptosis in human hepatoma cells. BiochemPharmacol, 2000; 60:1865-1873.

26. Li Z,ChengX,WangCJ,LiGL,XiaSZ,Wei FH(2005),(Purification of the effective component from solanumxanthocarpum and its effect against Oncomelania snails)ZhongguoJi Sheng Xue Yu JiShenge Chong Bing Za Zhi;23(4)206-8.

27. M.Usman,;GhaniM.UmarFarooq.;M.T.J.Khan (2010) . Phytochemical Investigations and Evaluation of Antibacterial and Irritant Potential of Different Extracts of Whole Plant of SolanumxanthocarpumSchrad and Wendl J of Chinese Society,,57,1257-1262.

28. Maxwell A; PingalR ; Reynolds WF and Leans MC(;1996); 3-aminospirosolane alkaloids from Solanum arboretum phytochemistry, , 43, 913-915.

29. Mohan L, Sharma P, Srivastava CN; (2006) Evaluation of Solanumxanthocarpum extract as a synergist for cypermethrin against larvae of the filarial vector Culexquinquefasciatus(Say). Entomol Res.,; 36(4): 220–225.

30. Mohan L,Sharma P, Srivastava, CN (2007).Comparative efficacy of Solanumxanthocarpum extract lone combination with a synthetic

pyrethroid,cypermethrin,against malaria vector ,Anopheles stephensi. Southeast asian J. Trop. Med. Public.Health; 38(2): 256-260.

31. Mohan,L,; Sharma ,P,;Srivastava , (2005) Evaluation of Solanumxanthocarpum extracts as mosquito larvicides ,C.N.J. Envion.Biol.,26(2),399-401.

32. Raj K. Salar and Suchitra, (2009) Evaluation of antimicrobial potential of different extracts of SolanumxanthocarpumSchrad and Wendl African Journal of Microbiology Research Vol. 3(3) pp. 097-100 .

33. Rajkumar S, (2005). Repellency of volatile oils from Moschosmapolystachyum and Solanumxanthocarpum against filarial vector Culexquinquefasciatus Say. Tropical Biomedicine 22(2):139–142.

34. RamalhoM,Kleinert-Giovannini A &Imperatriz-Fonseca V L (1989)utilization of floral resourses by species of Melipona :floral preferences,Apidologie,185-195.

35. Ripperger H; (1995)Steroid alkaloid glycosides from Solanumrobustum. Phytochemistry, 39, 1475-1477.

36. Rokeya Sultana,; Salma Khanam ,; Kshama Devi , (2011) Evaluation of Immunomodulatory activity of Solanumxanthocarpum fruits aqueous extract Scholars Research Library , Der Pharmacia Lettre, , 3(1): 247-253.

37. Siddiqui TH, Beg T and Afzal M; (2008), A ntigenotoxic effect of apigenin against anti cancererous drugs. Toxicology in Vitro,; 22: 625-631.

38. Singh D.K &Hajara P.K., (1996) Changing Paerspectives of Biodiversity Status in the Himalaya, edited by Gujaral G.S & Sharma V., (British Council Division, New Delhi), 22-28.

39. Sridevi M, Kalaiarasi P, Pugalendi KV,(2011); Antihyperlipidemic activity of alcoholic leaf extract of Solanumsurattense in streptozotocin diabetic rats. Asian Pacific Journal of Tropical Biomedicine,; 4(2): 276-280.

40. Tupkari S.V., Saoji A.N., Deshmukh.VK ; (1972) , Phytochemical study of Solanumxanthocarpum, Planta Med.,;22(6):184-187.

41. Verbist JF, Monnet R. 1974. Steroidal a1kaloids of Solanumxanthocarpum :Analysis of fruit from Nepal, PlantesMedicinales et phytotherapie 8 ;(263-268.

42. Verbist, J.F., Monnet, R., Dobremez, J.F., 1977. Identification and quantification of steroid alkaloids from Nepalese Solanum Species. Plant Med. Phytother. (11): 40-46.

43. ZamilpaA ;Tortoriello J ; V Navarro; G Delgado and L Alvarez, J. (2002)Nat. Prod., 65, 1815-1819.